



GAYTHER  
LGBTQ TOGETHER

[www.gayther.com](http://www.gayther.com)

Gayther is the trading name of Ovester Limited, a company registered in England and Wales under registration number 06250776, and our registered office is at 2 Ambleside Avenue, London, SW16 6AD, United Kingdom. Our principal place of business is at Ovester, Kemp House, 152-160 City Road, London, EC1V 2NX, United Kingdom.

GD1282021-05



# MEDICAL DIAGNOSIS INTERPRETER

Point, mark, translate & communicate +



## TOP 6-10 OF THE MOST TRAVELED

Edition





**GAYTHER**  
— LGBTQ TOGETHER —

In our hour of need, our words and how we communicate can be the difference between life and death. Quickly express how you are feeling to get the help and support you need.

Stay safe, protected and return home safely

Copyright © 2020-2021 Ovester Limited. All rights reserved.

Gayther is one of the trading names for Ovester Limited. Ovester Limited controls the copyright and other intellectual property rights concerning the Gayther Diagnosis Interpreter (GDI) and the Medical Diagnosis Interpreter (MDI) as it is also known. The MDI is provided to you free of charge in which you are permitted to download, store and print the MDI for your personal and business use. You are not permitted to reproduce or make a profit from selling the MDI or any other purpose except as permitted by the UK Copyright, Design and Patents Act 1988, without the prior permission of Ovester Limited.

All of the phrases and terms used in this document are literal translations and have not been validated or verified by a native speaker. All of the illustrations and terms have been designed to support and aid conversations, and any diagnosis carried out by a medical professional. The Medical Diagnosis Interpreter (MDI) is designed for illustrative purposes only and does not constitute advice. Though we have endeavoured to ensure that all of the information used is up-to-date, we do not provide any guarantees to the accuracy and completeness of any information contained within the MDI. By using the MDI you accept you are doing so at your own risk.

# Conversion Table

MASS		VOLUME	
microgram (mcg) / miligram (mg) / gram (g)		teaspoon (tsp) / tablespoon (tbsp) / millilitre (ml) / litre (l)	
500mcg	0.5mg	1 tsp	6ml
600mcg	0.6mg	1 tbsp	3tsp or 15ml
700mcg	0.7mg	100ml	0.1l
800mcg	0.8mg	200ml	0.2l
900mcg	0.9mg	300ml	0.3l
1mg	0.001g	400ml	0.4l
500mg	0.5g	500ml	0.5l
600mg	0.6g	600ml	0.6l
700mg	0.7g	700ml	0.7l
800mg	0.8g	800ml	0.8l
900mg	0.9g	900ml	0.9l
1g	1g	1l	1l

TEMPERATURE			
celsius (°C) / fahrenheit (°F)			
38°C	100.4°F	41.5°C	106.7°F
38.5°C	101.3°F	42°C	107.6°F
39°C	102.2°F	42.5°C	108.5°F
39.5°C	103.1°F	43°C	109.4°F
40°C	104°F	43.5°C	110.3°F
40.5°C	104.9°F	44°C	111.2°F
41°C	105.8°F	44.5°C	112.1°F



# 3

## THREE ELEMENTS OF INFORMATION THAT COULD SAVE YOUR LIFE

When in need of medical assistance, receiving treatment or in the event of an emergency, getting help is crucial. Communicating your current state of health, allergies or pre-existing medical conditions quickly to a medical professional can be a matter of life and death. This situation can be made worse when travelling and speaking to non-native English speakers. Medically trained individuals can provide you with the urgent care you need but who might be struggling to understand what is being explained to them. To help you in this situation, we created the Medical Diagnosis Interpreter (MDI).

The MDI is an innovative way in which you only need to point or mark how you are thinking and feeling, using the many illustrations and translated terms. The tool enables the medical professional to use what is being shown to them to help them diagnose any underlying problems. The MDI is grouped in logical sections. Some can be completed before seeking medical attention (sections A, B, C, D and H). The remaining sections can be used during an emergency (section E, F and G). All of the vital information needed to help the medical professional make an informed diagnosis. A diagnosis that will ultimately help in treating the condition, virus or illness.

A successful diagnosis typically requires three elements of crucial information:-

- Details of any pains, conditions or symptoms you have been experiencing, what hurts, where and for how long
- Any medications you have already taken and how long ago
- Any allergies, pre-existing conditions and important information about you to help with the diagnosis and treatment



PAIN	SYMPOTM	MEDICATION	DURATION	MEASUREMENT	
MINUTES	HOURS	WEEKS	MONTHS	HUNDREDS	THOUSANDS

Any medications taken in the past 24 hours

<input type="checkbox"/>	PARACETAMOL	<input type="checkbox"/>	IBUPROFEN	<input type="checkbox"/>	CANNABIS
	paracetamol   paracetamol   ຍາພາເຮົາຕາມອລ   parasetamol		ibuprofen   ibuprofeno   ibuprofen   ibuprofen		cannabis   cannabis   ກ້ຽນ   kenevir

<input type="checkbox"/>	ANTIBIOTICS	<input type="checkbox"/>	ASPIRIN	<input type="checkbox"/>	OTHER
	antibiotika   antibióticos   ຍາປັດຈຸວັນ   antibiyotikler		aspirin   aspirina   ແອສີເຫຼືນ   aspirin		

<input type="checkbox"/>					

	(tsp) teaspoon		(tbsp) tablespoon		(ml) millilitre		(l) litre
	teelöffel   cucharilla   ຂົອນຫາ   çay kaşığı		esslööffel   cucharada   ຂົອນໂຕິ້ນ   yemek kasığı		milliliter   mililitro   ມືລິລິຕຣ   mililitre		liter   litro   ລິຕຣ   litre

	(mcg) microgram		(mg) milligram		(g) gram		(-) other
	mikrogramm   micrograma   ເມືກຣອກຣັມ   mikrogram		milligramm   miligrama   ມືລິກຣັມ   miligram		gramm   gramo   ກຣຳມ   gram		andere   otro   ອື່ນ ຖ   diğer

# F SYMPTOMS



symptom | síntoma | อาการ | symptom

- |          |          |            |           |           |          |            |            |           |           |
|----------|----------|------------|-----------|-----------|----------|------------|------------|-----------|-----------|
| 1<br>ONE | 2<br>TWO | 3<br>THREE | 4<br>FOUR | 5<br>FIVE | 6<br>SIX | 7<br>SEVEN | 8<br>EIGHT | 9<br>NINE | 10<br>TEN |
|----------|----------|------------|-----------|-----------|----------|------------|------------|-----------|-----------|

**TREMBLING / TINGLING**



zittern / kribbeln | temblor / hormigüeo | ตัวสั่น / รู้สึกเสียวชา | titreme / karıncalanma

**LOSS OF BALANCE**



instabil / gleichgewichtsverlust | inestable / pérdida de equilibrio | ไม่คงที่ / การสูญเสียสมดุล / kararsız / denge kaybi

**VOMIT / NAUSEA**



erbrechen / übelkeit | vomito / náuseas | อาเจียน / คลื่นไส้ | kusmuk / bulanti

**WEAK / LACK OF ENERGY**



schwach / energiemangel | débil / falta de energía | อ่อนแย / ขาดพลังงาน | zayıf / enerji eksikliği

**OTHER**

---




---



---




---



## ABOUT THE TOP 6-10 OF THE MOST TRAVELED EDITION

The Top 6-10 of the Most Travelled edition uses translated terms for five of the most common and spoken languages in that area or region. The information below outlines all of the featured languages and the countries in which they are spoken.



FLAG	LANGUAGE	LANGUAGE SPOKEN IN
	German (de)	Austria, Belgium, Germany, Liechtenstein, Luxembourg, Switzerland
	English (en)	Anguilla, Antigua and Barbuda, Australia, The Bahamas, Barbados, Belize, Bermuda, Botswana, British Virgin Islands, Brunei Darussalam, Cameroon, Canada, Caribbean Netherlands, Cayman Islands, Channel Islands, Cook Islands, Dominica, Eritrea, Falkland Islands (Malvinas), Fiji, The Gambia, Ghana, Gibraltar, Grenada, Guam, Guyana, Hong Kong, India, Ireland, Isle of Man, Jamaica, Kenya, Kiribati, Lesotho, Liberia, Malawi, Malta, Marshall Islands, Mauritius, Federated States of Micronesia, Namibia, Nauru, Netherlands Antilles, New Zealand, Nigeria, Niue, Northern Mariana Islands, Palau, Papua New Guinea, Pitcairn Islands, Puerto Rico, Rwanda, Saint Helena, Saint Kitts and Nevis, Saint Lucia, Saint Martin (Dutch), Saint Vincent and the Grenadines, Samoa, Seychelles, Sierra Leone, Singapore, Solomon Islands, South Africa, Sri Lanka, Swaziland, Tanzania, Tonga, Trinidad and Tobago, Turks and Caicos Islands, Tuvalu, Uganda, United Kingdom (UK), United States of America (USA), United States Virgin Islands, Vanuatu, Zambia, Zimbabwe
	Thai (th)	India
	Turkish (tr)	China, Hong Kong, Macau, Singapore, Taiwan
	Spanish (es)	Argentina, Belize, Bolivia, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Equatorial Guinea, Guadeloupe, Guatemala, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Spain, Uruguay, Venezuela



# F SYMPTOMS



symptom | síntoma | อาการ | semptom

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
-------	-------	---------	--------	--------	-------	---------	---------	--------	--------

I cannot...

ich kann nicht | no puedo | ฉันไม่สามารถ | yapamam

	BREATH		SWALLOW		SMELL
	ATMOSFERA		SCHLUCKEN		GERUCH
	geschmack   gusto   ลิ้นรส   damak zevki		sehen / sehen   ver / visión   เห็น   مورثين   görme / görme		HÖREN
	FEEL		PASS URINE		PASS A BOWEL
	MOVE		WALK		TALK
	LIFT				

## ALLERGIES

allergien | alergias | โรคภัยแพ้ | alerjiler

<input type="checkbox"/>	YES		ja   sí   ใช่   evet
<input type="checkbox"/>	NO		nein   no   ไม่   yok hayir

## BLOOD GROUP

blutgruppe | grupo sanguíneo | กrewpleeđ | kan grubu

	A POSITIVE		A NEGATIVE		AB POSITIVE		AB NEGATIVE
a positiv   un positivo   a บวก   bir pozitif	a negativ   un negativo   a บวก   olumsuz	ab positive   ab positivo บวก   ab pozitif	ab negative   ab negativo   ab บวก   ab negatif				
	B POSITIVE		B NEGATIVE		O POSITIVE		O NEGATIVE
b positiv   b positivo   b บวก   b pozitif	b negativ   b negativo   b บวก   b negatif	o positiv   lo positivo   o บวก   ey pozitif	o negativ   o negativo   o บวก   o negatif				
	UNKNOWN						
unbekannt   desconocido   ไม่ทราบ   bilinmeyen							

# B ALLERGIES

allergien | alergias | ໂດຍກຸມແພີ້ | alerjiler

Please mark or tick (✓) -all of the allergies you have or have had in the past. Any allergies you may have can have a severe impact on any treatment or medication you receive.


<input type="checkbox"/> PENICILLIN	<input type="checkbox"/> ASPIRIN	<input type="checkbox"/> CHEMICAL
penicillin   penicilina   ຄາປິຈິວນະ   penisilin	aspirin   aspirina   ແອສໄພຣິນ   aspirin	chemisch   químico   ສາຮເຄມ່ງ   kimyasal
<input type="checkbox"/> POLLEN	<input type="checkbox"/> DUST	<input type="checkbox"/> MOULD
pollen   polen   ເບັນ   polen	staub   polvo   ຊຸນ   toz	schimmel   molde   ແມ່ພິມພີ້   kalip
<input type="checkbox"/> ANIMALS	<input type="checkbox"/> FISH	<input type="checkbox"/> DAIRY
tier   animal   ສັນຕິ   hayvan	fisch   pescado   ປຳ   balık	molkerei   lechería   ໄຮງຮືດນາມ   mandıra
<input type="checkbox"/> NUTS	<input type="checkbox"/> BITE	<input type="checkbox"/> STING
nüsse   nueces   ສັນຕິ   findik	beißen   mordedura   ກັດ   isirmak	stachel   picadura   ຕ້ອຍ   acı
<input type="checkbox"/> OTHER		
-----		
-----		



BACK


zurück | espalda | ກົລົມ | geri

PAIN	SYMPTOM	MEDICATION	DURATION	MEASUREMENT
MINUTES	HOURS	WEEKS	MONTHS	



schmerz | dolor | ความเจ็บปวด | ağrı

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
----------	----------	------------	-----------	-----------	----------	------------	------------	-----------	-----------



präexistieren | preexistir | preexist | önceden

Please mark or tick (✓) all of the pre-existing medical conditions you have or may have had in the past. If applicable, please circle (○) the relevant type or stage

<input type="checkbox"/> <b>CANCER</b> 1    2    3    4  krebs   cáncer   โรคมะเร็ง   kanser	<input type="checkbox"/> <b>DIABETES</b> 1    2  diabetes   diabetes   โรคเบาหวาน   diyabet	<input type="checkbox"/> <b>LEUKAEMIA</b> 1    2    3    4  leukämie   leucemia   โรคเมริงในเลือด   lösemi
<input type="checkbox"/> <b>PREGNANCY</b> 0-3    4-6    7-9  schwangerschaft   el embarazo   การตั้งครรภ์   gebelik	<input type="checkbox"/> <b>ASTHMATIC</b> ASTHMA    COPD  asthmatischer   asmático   เกียกับโรคที่ดี   astımlı	<input type="checkbox"/> <b>LUPUS</b> SLE    CLE    DLE  lupus   lupus   โรคอุปย์   lupus
<input type="checkbox"/> <b>HIV / AIDS</b>  hiv / aids   vih / sida   เอชไอవี / อิดส์   hiv / aids	<input type="checkbox"/> <b>EPILEPSY</b>  epilepsie   epilepsia   โรคลมบ้าหมู   epilepsi	<input type="checkbox"/> <b>MENTAL HEALTH</b>  psychische gesundheit   salud mental   สุขภาพจิต   akıl sağlığı
<input type="checkbox"/> <b>HEART DISEASE</b>  herzkrankheit   enfermedad del corazón   โรคหัวใจ   kalp hastalığı	<input type="checkbox"/> <b>HIGH CHOLESTEROL</b>  hoher cholesterinspiegel   colesterol alto   คอเลสเตอรอลสูง   yüksek kolesterol	<input type="checkbox"/> <b>HIGH BLOOD PRESSURE</b>  blutdruck   presión sanguínea   ความดันโลหิต   kan basinci
<input type="checkbox"/> <b>OTHER</b>		

# D MEDICATION

medikation | medicación | ยา | ilaç

Please list all of the medications that you frequently take concerning your allergies or pre-existing conditions. Medical professionals must be made aware of any medications that you may take as it will affect decisions relating to any medication prescribed when you seek treatment

## MEDICATION

## FREQUENCY

## MEASUREMENT

medikation | medicación | ยา | ilaç

frequenz | frecuencia | ความถี่ | sıkılık

messung | medición | การวัด | ölçüm

1

HOURLY | DAILY

TSP | TBSP | MCG | MG | G | ML | L

2

HOURLY | DAILY

TSP | TBSP | MCG | MG | G | ML | L

3

HOURLY | DAILY

TSP | TBSP | MCG | MG | G | ML | L

4

HOURLY | DAILY

TSP | TBSP | MCG | MG | G | ML | L

5

HOURLY | DAILY

TSP | TBSP | MCG | MG | G | ML | L

6

HOURLY | DAILY

TSP | TBSP | MCG | MG | G | ML | L

hourly | stündlich | cada hora | ทุกๆชั่วโมง | saatlik daily | täglich | diario | ประจำวัน | günlük

tsp | teelöffel | cucharilla | ช้อนชา | çay kaşığı  
tbsp | esslöffel | cucharada | ช้อนโต๊ะ | yemek kasığı  
mcg | mikrogramm | micrograma | ไมโครกรัม | mikrogram  
mg | milligramm | miligramo | มิลลิกรัม | miligram  
g | gramm | gramo | กิโล | gram  
ml | milliliter | mililitro | มิลลิลิตร | mililitre  
l | liter | litro | ลิตร | litre



# FRONT

vorderseite | frente | ด้านหน้า | ön

PAIN	SYMPOTM	MEDICATION	DURATION	MEASUREMENT
MINUTES	HOURS	WEEKS	MONTHS	



## NOSE

nase | nariz | จมูก | burun

## EAR


ohr | oreja | หู | kulak

## MOUTH

mund | boca | ปาก | ağız

## TONGUE

zunge | lengua | ลิ้น | dil



## SHOULDER

schulter | hombro | ไหล่ | omuz

## CHEST


brust | pecho | หน้าอก | göğüs

## LIVER

leber | hígado | ตับ | karaciğer

## STOMACH

bauch | estómago | กระเพาะอาหาร | mide



## LEG

bein | pierna | ขา | bacak

## PELVIS

becken | pelvis | กระดูกเชิงกราน | pelvis

## ANKLE



knöchel | tobillo | ข้อเท้า | ayak bileği

## HEEL

hacke | tacón | 踵 | topuk



schmerz | dolor | ความเจ็บปวด | ağrı



während eines Notfalls | durante una emergencia | ระหว่างเกิดเหตุฉุกเฉิน | acil bir durumda

The following sections have been designed to help you communicate any pains, symptoms you are experiencing or any medication you have taken when speaking to a medical professional. You can either point or mark the relevant boxes, describing your symptoms quickly and easily using the Medical Diagnosis Interpreter (MDI).

### HOW TO COMMUNICATE

Communicating in a four-step process, let us start by going to section E or the areas of pain to begin

**Step 1** - Please go to the numbers bar at the top of section E, where you can either point or tick (✓) the number of pains you are experiencing. One for a single area of pain, two for the second pain and so on



**Step 2** – When ready to describe your first or only pain, you can either point or tick the region of the body (front or back) or specific body parts where the pain is located. When you have finished highlighting all of the areas, you can either point to the stop or next marker if you have more than one pain. Both markers can be found at the top right-hand side of the page



**Step 3** – Next, you will need to indicate how long you have been experiencing the pain. You do this by selecting the duration marker, followed by the minutes, hours or days markers (for example, 10 + minutes). If you are trying to describe multiples, such as 30 minutes, you could point to the ten marker three times (e.g., 10 plus 10 plus 10), followed by the minute marker



**Step 4** – Finally, we will highlight the pain level on a scale from 1 to 10. If you are suffering multiple pains, go back to the beginning of section E, select two from the number scale to describe the subsequent pain and so on.



You will follow a similar process for symptoms (section F) and any drugs/medication taken (section G). In the medication taken section, you will also be required to use the numbering system to describe measurements, such as 1 + 2 + thousand + mg, which would represent one 2000mg tablet)

**Important:** During an emergency, you must convey areas of pain, symptoms and any drugs or medication you have taken quickly and efficiently. If a pain, symptom or drug/medication is not listed, write it within the relevant 'other' box, remembering to use BLOCK CAPITAL letters. Providing any information that is not listed helps the medical professional to look it up and translate the terms quickly to form a diagnosis

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
eins	zwei	drei	vier	fünf	sechs	sieben	acht	neun	zehn
uno	dos	tres	cuatro	cinco	seis	siete	ocho	nueve	diez
หนึ่ง	สอง	สาม	สี่	ห้า	หก	เจ็ด	แปด	เก้า	สิบ
bir	iki	üç	dört	beş	altı	yedi	sekiz	dokuz	on

PAIN	schmerz   dolor   ความเจ็บปวด   ağrı	HOURS	stunde   hora   ชั่วโมง   saat
SYMPOTM	symptom   síntoma   อาการ   semptom	WEEKS	woche   semana   สัปดาห์   hafta
MEDICATION	medikation   medicación   ยา   ilaç	MONTHS	monat   mes   เดือน   ay
DURATION	dauer   duración   ระยะเวลา   süre	HUNDREDS	hundert   cien   ร้อย   yüz
MEASUREMENT	messung   medición   การวัด   ölçüm	THOUSANDS	tausend   mil   พัน   bin
MINUTES	minute   minuto   นาที   dakika		

English (en)  
 German (de)  
 Spanish (es)  
 Thai (th)  
 Turkish (tr)