



GAYTHER
LGBTQ TOGETHER

www.gayther.com

Gayther is the trading name of Ovester Limited, a company registered in England and Wales under registration number 06250776, and our registered office is at 2 Ambleside Avenue, London, SW16 6AD, United Kingdom. Our principal place of business is at Ovester, Kemp House, 152-160 City Road, London, EC1V 2NX, United Kingdom.

GDI282021-05



MEDICAL DIAGNOSIS INTERPRETER

Point, mark, translate & communicate +



AROUND SINGAPORE

Edition





GAYTHER
— LGBTQ TOGETHER —

In our hour of need, our words and how we communicate can be the difference between life and death. Quickly express how you are feeling to get the help and support you need.

Stay safe, protected and return home safely

Copyright © 2020-2021 Ovester Limited. All rights reserved.

Gayther is one of the trading names for Ovester Limited. Ovester Limited controls the copyright and other intellectual property rights concerning the Gayther Diagnosis Interpreter (GDI) and the Medical Diagnosis Interpreter (MDI) as it is also known. The MDI is provided to you free of charge in which you are permitted to download, store and print the MDI for your personal and business use. You are not permitted to reproduce or make a profit from selling the MDI or any other purpose except as permitted by the UK Copyright, Design and Patents Act 1988, without the prior permission of Ovester Limited.

All of the phrases and terms used in this document are literal translations and have not been validated or verified by a native speaker. All of the illustrations and terms have been designed to support and aid conversations, and any diagnosis carried out by a medical professional. The Medical Diagnosis Interpreter (MDI) is designed for illustrative purposes only and does not constitute advice. Though we have endeavoured to ensure that all of the information used is up-to-date, we do not provide any guarantees to the accuracy and completeness of any information contained within the MDI. By using the MDI you accept you are doing so at your own risk.

Conversion Table

MASS		VOLUME	
microgram (mcg) / miligram (mg) / gram (g)		teaspoon (tsp) / tablespoon (tbsp) / millilitre (ml) / litre (l)	
500mcg	0.5mg	1 tsp	6ml
600mcg	0.6mg	1 tbsp	3tsp or 15ml
700mcg	0.7mg	100ml	0.1l
800mcg	0.8mg	200ml	0.2l
900mcg	0.9mg	300ml	0.3l
1mg	0.001g	400ml	0.4l
500mg	0.5g	500ml	0.5l
600mg	0.6g	600ml	0.6l
700mg	0.7g	700ml	0.7l
800mg	0.8g	800ml	0.8l
900mg	0.9g	900ml	0.9l
1g	1g	1l	1l

TEMPERATURE			
celsius (°C) / fahrenheit (°F)			
38°C	100.4°F	41.5°C	106.7°F
38.5°C	101.3°F	42°C	107.6°F
39°C	102.2°F	42.5°C	108.5°F
39.5°C	103.1°F	43°C	109.4°F
40°C	104°F	43.5°C	110.3°F
40.5°C	104.9°F	44°C	111.2°F
41°C	105.8°F	44.5°C	112.1°F

紧急联系人 | 紧急聯繫人 | talian kecemasan | அவசர தொடர்பு

In the event of an emergency, please contact any of the individuals, insurance companies or other services/providers listed in the sections below. When completing this section, please ensure that you use **BLOCK CAPITALS** (e.g. ABC)

CONTACT

联系方式 (liánxi fāngshì) | 聯繫方式 (liánxi fāngshì) | butiran kenalan | தொடர்பு விபரங்கள்

NAME

名称 (míngchēng) |
名稱 (míngchēng) |
nama | பெயர்

TELEPHONE NUMBER

电话号码 | 電話號碼 | nombor telefon | தொலைபேசி எண்

+

(e.g. 1 - United States)

-

COUNTRY CODE

国家代码 | 國家代碼 |
kod negara | நாட்டின்
குறியீடு

NUMBER

数 (shù) | 數 (shù) | nombor | எண்

INSURANCE

保险 (bǎoxiǎn) | 保險 (bǎoxiǎn) | insurans | காப்பீடு

COMPANY

公司 | 公司 | syarikat |
நிறுவனம்

POLICY NUMBER

保单号码 | 保單號碼 |
nomber polisi |
கொள்கை எண்

OTHER

其他 (qítā) | 其他 (qítā) | lain | மற்ற

我需要帮助 (wǒ xūyào bāngzhù) | 我需要幫助 (wǒ xūyào bāngzhù) | saya perlukan pertolongan | நான் உதவ வேண்டும்



EMERGENCY

急 (jí) | 急 (jí) | kecemasan | அவசர



DOCTOR

医生 (yīshēng) | 醫生 (yīshēng) |
doktor | மருத்துவர்



MEDICAL TREATMENT

药物治疗 (yàowù zhíliáo) | 藥物治療
(yàowù zhíliáo) | rawatan perubatan |
மருத்துவ சிகிச்சை



HOSPITAL

醫院 (yīyuàn) | 醫院 (yīyuàn) | hospital
| மருத்துவமனையில்

The information contained in this document is classified as personal and sensitive and should be kept safe at all times. The information should only be viewed by the owner (detailed in Section A), medical professionals or whomever the owner gives expressed permission. In the scenario that this document has been lost and is found, please contact

+

(e.g. 1 - United States)

COUNTRY CODE

国家代码 | 國家代碼 |
kod negara | நாட்டின்
குறியீடு

NUMBER

数 (shù) | 數 (shù) | nombor | எண்

3

THREE ELEMENTS OF INFORMATION THAT COULD SAVE YOUR LIFE

When in need of medical assistance, receiving treatment or in the event of an emergency, getting help is crucial. Communicating your current state of health, allergies or pre-existing medical conditions quickly to a medical professional can be a matter of life and death. This situation can be made worse when travelling and speaking to non-native English speakers. Medically trained individuals can provide you with the urgent care you need but who might be struggling to understand what is being explained to them. To help you in this situation, we created the Medical Diagnosis Interpreter (MDI).

The MDI is an innovative way in which you only need to point or mark how you are thinking and feeling, using the many illustrations and translated terms. The tool enables the medical professional to use what is being shown to them to help them diagnose any underlying problems. The MDI is grouped in logical sections. Some can be completed before seeking medical attention (sections A, B, C, D and H). The remaining sections can be used during an emergency (section E, F and G). All of the vital information needed to help the medical professional make an informed diagnosis. A diagnosis that will ultimately help in treating the condition, virus or illness.

A successful diagnosis typically requires three elements of crucial information:-

- Details of any pains, conditions or symptoms you have been experiencing, what hurts, where and for how long
- Any medications you have already taken and how long ago
- Any allergies, pre-existing conditions and important information about you to help with the diagnosis and treatment

PAIN	SYMPOTM	MEDICATION	DURATION	MEASUREMENT	
MINUTES	HOURS	WEEKS	MONTHS	HUNDREDS	THOUSANDS

Any medications taken in the past 24 hours

<input type="checkbox"/>	PARACETAMOL 	扑热息痛 撲熱息痛 parasetamol පරාසේට්මොල්	<input type="checkbox"/>	IBUPROFEN 	布洛芬 布洛芬 ibuprofen ඩුපුබුරුස්පෙන්	<input type="checkbox"/>	CANNABIS 	麻 (má) 麻 (má) ganja කංචාවින්
--------------------------	--	---	--------------------------	--	--	--------------------------	---	------------------------------------

<input type="checkbox"/>	ANTIBIOTICS 	抗生素类 抗生素類 antibiotik நுண்ணுயிர் எதிர்ப்பிகள்	<input type="checkbox"/>	ASPIRIN 	阿司匹林 (āsīpílín) 阿司匹林 (āsīpílín) aspirin ஆஸ்பிரின்
--------------------------	--	--	--------------------------	--	---

<input type="checkbox"/>	OTHER
--------------------------	-------

	(tsp) teaspoon	茶匙 (cháchǐ) 茶匙 (cháchǐ) sudu teh தேக்கரண்டி		(tbsp) tablespoon	汤匙 (tāngchǐ) 湯匙 (tāngchǐ) sudu தேக்கரண்டி		(ml) millilitre	毫升 (háoshéng) 毫升 (háoshéng) milliliter மில்லிலிட்டர்		(l) litre	升 (shēng) 升 (shēng) liter லிட்டர்
	(mcg) microgram	微克 (wēikè) 微克 (wēikè) mikrogram மைக்ரோகிராம்		(mg) milligram	毫克 (háokè) 毫克 (háokè) miligram மில்லிகிராம்		(g) gram	公克 (gōngkè) 公克 (gōngkè) gram கிராம்		(-) other	其他 (qítā) 其他 (qítā) lain மற்ற

F SYMPTOMS



症狀 | 症狀 | அறிகுறி

1 ONE | 2 TWO | 3 THREE | 4 FOUR | 5 FIVE | 6 SIX | 7 SEVEN | 8 EIGHT | 9 NINE | 10 TEN

TREMBLING / TINGLING



發抖/發麻 | 發抖/發麻
| menggeletar /
kesemutan | நடுக்கம்
/ கூச்ச உணர்வு

LOSS OF BALANCE



不穩定/失去平衡 | 不
穩定/失去平衡 | tidak
stabil / hilang
keseimbangan |
நிலையம்மு
சமநிலை இழப்பு

VOMIT / NAUSEA




嘔吐/噁心 | 嘔吐/噁心 |
muntah / loya | வாந்தி
/ குமட்டல்

WEAK / LACK OF ENERGY



虛弱/缺乏能量 | 虛弱/缺
乏能量 | lemah /
kekurangan tenaga |
பலவினாமான /
ஆற்றங்கள் இல்லாமை



高溫 | 高溫 | suhu tinggi | உயர் வெப்பநிலை

OTHER

ABOUT THE AROUND SINGAPORE EDITION

The around Singapore edition uses translated terms for four of the most common and spoken languages in Singapore. The information below outlines all of the featured languages and the countries in which they are spoken.



FLAG	LANGUAGE	LANGUAGE SPOKEN IN
	Chinese Simplified (ms) Chinese Traditional (ct)	China, Hong Kong, Macau, Singapore, Taiwan
	Malay (my)	Brunei Darussalam, Malaysia, Singapore
	Tamil (tm)	Singapore, Sri Lanka

F SYMPTOMS



症狀 (zhèngzhuàng) | 症狀 (zhèngzhuàng) | gejala | அறிகுறி

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
-------	-------	---------	--------	--------	-------	---------	---------	--------	--------

I cannot...

我不能 | 我不能 | saya tidak boleh | என்னால் முடியாது

	BREATH		SWALLOW		SMELL
	TASTE		SEE / VISION		HEAR
	FEEL		PASS URINE		PASS A BOWEL
	MOVE		WALK		TALK
	LIFT				

呼吸 (hūxī) | 呼吸 (hūxī) | nafas | மூச்சு

吞 (tūn) | 吞 (tūn) | menelan | விழுங்க

聞 (wén) | 聞 (wén) | bau | வாச்னை

味道 (wèidǎo) | 味道 (wèidǎo) | rasa | சுவை

看/見 | 看/見 | lihat / penglihatan | பார்க்க / பார்வை

聽 (tíng) | 聽 (tíng) | mendengar | கீக்க

感覺 (gǎnjué) | 感覺 (gǎnjué) | merasa | உணர்வு

通過尿 | 通過尿 | buang air kecil | சிறுநீர் கழிக்கவும்

通過腸 | 通過腸 | buang air besar | ஒரு குடலைக் கடந்து செல்லுவங்கள்

移動 (yídòng) | 移動 (yídòng) | langkah | நடவடிக்கை

步行 (bùxíng) | 步行 (bùxíng) | jalan | நட

談論 (tánlùn) | 論談 (tánlùn) | bercakap | போச்ச

電梯 (diàntī) | 電梯 (diàntī) | lif | லி஫்ட்

ALLERGIES

過敏症 | 過敏症 | alahan | ஓல்வாஸை

<input type="checkbox"/>	YES		是 (shì) 是 (shí) yes ஆம்
<input type="checkbox"/>	NO		沒有 (méiyǒu) 沒有 (méiyǒu) tidak இல்லை

BLOOD GROUP

血型 | 血型 | kumpulan darah | இரத்த வகை

	A POSITIVE		A NEGATIVE		AB POSITIVE		AB NEGATIVE
—積極 —積極 a positif அ நேர்மறை		—負面 —負面 a negatif அ எதிர்மறை		ab陽性 ab陽性 ab positif ஏபி நேர்மறை		ab陰性 ab陰性 ab negatif ஏபி எதிர்மறை	
	B POSITIVE		B NEGATIVE		O POSITIVE		O NEGATIVE
b正面 b正面 b positif அ நேர்மறை		b負面 b負面 b negatif அ எதிர்மறை		o正 o正 wahai positif ஒ நேர்மறை		o負 o負 o negatif ஒ எதிர்மறை	
	UNKNOWN						
未知 (wèizhī) 未知 (wèizhī) tidak diketahui தெரியாத							

B ALLERGIES

過敏症 | 過敏症 | alahan | ஓவ்வாமை

Please mark or tick (✓) -all of the allergies you have or have had in the past. Any allergies you may have can have a severe impact on any treatment or medication you receive.

PENICILLIN



青黴素 (qīngméisù) | 青黴素 (qīngméisù) | penisilin | பென்சிலின்

ASPIRIN



阿司匹林 (āsīpílín) | 阿司匹林 (āsīpílín) | aspirin | ஆஸ்பிரின்

CHEMICAL



化學 (huàxué) | 化學 (huàxué) | kimia | இரசாயன

POLLEN



花粉 (huāfēn) | 花粉 (huāfēn) | debunga | மகரந்தம்

DUST



灰塵 (huīchén) | 灰塵 (huīchén) | debu | தூசி

MOULD



模子 (múzi) | 模子 (múzi) | acuan | அச்சு

ANIMALS



動物 (dòngwù) | 動物 (dòngwù) | haiwan | கால்நடை

FISH



魚 (yú) | 魚 (yú) | ikan | மீன்

DAIRY



乳製品 (rǔ zhìpǐn) | 乳製品 (rǔ zhìpǐn) | tenusu | பால்

NUTS



堅果 (jiānguǒ) | 坚果 (jiānguǒ) | kacang | கொட்டைகள்

BITE



咬 (yǎo) | 咬 (yǎo) | menggigit | கடிக்க

STING



刺 (cī) | 刺 (cī) | sengat | கொடுக்கு

OTHER


.....



BACK

背部 (bèibù) | 背部 (bēibù) | belakang | மீண்டும்

PAIN	SYMPTOM	MEDICATION	DURATION	MEASUREMENT
MINUTES	HOURS	WEEKS	MONTHS	




THROAT

喉 (hóu) | 喉 (hóu) | tekak | தொண்டை




TOOTH

齒 (chǐ) | 齒 (chǐ) | gigi | பால்



NECK

頸部 (jǐng bù) | 頸部 (jǐng bù) | leher | கழுத்து




腺 (xiàn) | 腺 (xiàn) | kelenjar | சுற்றுப்பி



BREAST

乳房 (rǔfáng) | 乳房 (rǔfáng) | payudara | மார்பக




SPINE

脊柱 (jǐzhù) | 脊柱 (jǐzhù) | tulang belakang | முதுகெலும்பு




ARM

臂 (bì) | 臂 (bì) | lengan | ஏக



HAND

手 (shǒu) | 手 (shǒu) | tangan | கை




THIGH

大腿 (dàtuǐ) | 大腿 (dàtuǐ) | paha | தொடையில்



HIP

臀部 (túnbù) | 臀部 (túnbù) | hip | இடுப்பு



FOOT

腳丫子 (jiǎoyāzi) | 脚丫子 (jiǎoyāzi) | kaki | கால்




腳趾 (jiǎozhǐ) | 脚趾 (jiǎozhǐ) | kaki | கால்



疼痛 (téngtòng) | 疼痛 (téngtòng) | kesakitan | வளி

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
----------	----------	------------	-----------	-----------	----------	------------	------------	-----------	-----------



預先存在的 (yùxiān cúnzài de) | 預先存在的 (yùxiān cúnzài de) | preexist | நிகழ் கால வாழ்க்கைக்கு முன்பே

Please mark or tick (✓) all of the pre-existing medical conditions you have or may have had in the past. If applicable, please circle (○) the relevant type or stage

CANCER	DIABETES	LEUKAEMIA
<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4
癌症 (áizhèng) 癌症 (áizhèng) kanser புற்றுநோய்	糖尿病 (tángniàobìng) 糖尿病 (tángniàobìng) diabetes நீரழிவு	白血病 (báixiébìng) 白血病 (báixiébìng) leukemia ஓரேகேமியா
PREGNANCY	ASTHMATIC	LUPUS
<input type="checkbox"/> 0-3 <input type="checkbox"/> 4-6 <input type="checkbox"/> 7-9	<input type="checkbox"/> ASTHMA <input type="checkbox"/> COPD	<input type="checkbox"/> SLE <input type="checkbox"/> CLE <input type="checkbox"/> DLE
懷孕 怀孕 kehamilan கர்ப்பம்	嘴喘 (xiāochuǎn) 嘴喘 (xiāochuǎn) asma ஆஸ்த்தமா	狼瘡 狼瘡 lupus லூபஸ்
HIV / AIDS	EPILEPSY	MENTAL HEALTH
<input type="checkbox"/> HIV / AIDS	<input type="checkbox"/> EPILEPSY	<input type="checkbox"/> MENTAL HEALTH
艾滋病毒/艾滋病 艾滋病 hiv / aids எச்.ஐ.வி / எஃட்டஸ்	癲癇 (diānxián) 癲癇 (diānxián) epilepsi வலிப்பு	精神健康 (jīngshén jiānkāng) 精神健康 (jīngshén jiānkāng) kesihatan mental மன ஆரோக்கியம்
HEART DISEASE	HIGH CHOLESTEROL	HIGH BLOOD PRESSURE
<input type="checkbox"/> HEART DISEASE	<input type="checkbox"/> HIGH CHOLESTEROL	<input type="checkbox"/> HIGH BLOOD PRESSURE
心髒病 (xīnzàng bìng) 心髒病 (xīnzàng bìng) penyakit jantung இருதய நோய்	高膽固醇 高膽固醇 kolesterol tinggi அதிக கொழுப்புச்சத்து	血壓 (xiēyā) 血壓 (xiēyā) tekanan darah இரத்த அழுத்தம்
OTHER		

D MEDICATION

藥物治療 (yàowù zhíliáo) | 藥物治療 (yàowù zhíliáo) | ubat | மருந்து

Please list all of the medications that you frequently take concerning your allergies or pre-existing conditions. Medical professionals must be made aware of any medications that you may take as it will affect decisions relating to any medication prescribed when you seek treatment

	MEDICATION	FREQUENCY	MEASUREMENT
	藥物治療 (yàowù zhíliáo) 藥物治療 (yàowù zhíliáo) ubat மருந்து	頻率 (pínlǜ) 頻率 (pínlǜ) kekerapan அதிர்வெண்	測量 (cèliáng) 測量 (cèliáng) pengukuran அளவீடு
1	HOURLY DAILY	TSP TBSP MCG MG G ML L	
2	HOURLY DAILY	TSP TBSP MCG MG G ML L	
3	HOURLY DAILY	TSP TBSP MCG MG G ML L	
4	HOURLY DAILY	TSP TBSP MCG MG G ML L	
5	HOURLY DAILY	TSP TBSP MCG MG G ML L	
6	HOURLY DAILY	TSP TBSP MCG MG G ML L	

hourly | 每小時 | 每小時 | setiap jam | மணி நேரம்
daily | 日常 | 日常 | setiap hari | தினசரி




tsp | 茶匙 (cháchi) | 茶匙 (cháchi) | sudu teh | தேக்கரண்டி
tbsp | 湯匙 (tāngchí) | 湯匙 (tāngchí) | sudu | தேக்கரண்டி
mcg | 微克 (wēikè) | 微克 (wēikè) | mikrogram | மைக்ரோகிராம்
mg | 毫克 (háokè) | 毫克 (háokè) | miligram | மிலிகிராம்
g | 公克 (gōngkè) | 公克 (gōngkè) | gram | கிராம்
ml | 毫升 (háoshēng) | 毫升 (háoshēng) | milliliter | மிலிலிட்டர்
| 升 (shēng) | 升 (shēng) | liter | லிட்டர்




FRONT

面前 (miànqián) | 面前 (miànqián) | hadapan | முன்

PAIN	SYMPTOM	MEDICATION	DURATION	MEASUREMENT
MINUTES	HOURS	WEEKS	MONTHS	



疼痛 (téngtòng) | 疼痛 (téngtòng) | kesakitan | வளி



在紧急情况下 | 在紧急情况下 | semasa kecemasan | அவசர காலத்தில்

The following sections have been designed to help you communicate any pains, symptoms you are experiencing or any medication you have taken when speaking to a medical professional. You can either point or mark the relevant boxes, describing your symptoms quickly and easily using the Medical Diagnosis Interpreter (MDI).

HOW TO COMMUNICATE

Communicating in a four-step process, let us start by going to section E or the areas of pain to begin

Step 1 - Please go to the numbers bar at the top of section E, where you can either point or tick (✓) the number of pains you are experiencing. One for a single area of pain, two for the second pain and so on



Step 2 – When ready to describe your first or only pain, you can either point or tick the region of the body (front or back) or specific body parts where the pain is located. When you have finished highlighting all of the areas, you can either point to the stop or next marker if you have more than one pain. Both markers can be found at the top right-hand side of the page



Step 3 – Next, you will need to indicate how long you have been experiencing the pain. You do this by selecting the duration marker, followed by the minutes, hours or days markers (for example, 10 + minutes). If you are trying to describe multiples, such as 30 minutes, you could point to the ten marker three times (e.g., 10 plus 10 plus 10), followed by the minute marker



Step 4 – Finally, we will highlight the pain level on a scale from 1 to 10. If you are suffering multiple pains, go back to the beginning of section E, select two from the number scale to describe the subsequent pain and so on.



You will follow a similar process for symptoms (section F) and any drugs/medication taken (section G). In the medication taken section, you will also be required to use the numbering system to describe measurements, such as 1 + 2 + thousand + mg, which would represent one 2000mg tablet)

Important: During an emergency, you must convey areas of pain, symptoms and any drugs or medication you have taken quickly and efficiently. If a pain, symptom or drug/medication is not listed, write it within the relevant ‘other’ box, remembering to use BLOCK CAPITAL letters. Providing any information that is not listed helps the medical professional to look it up and translate the terms quickly to form a diagnosis

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
一 (yī) 一 (yī) satu ஒரு	二 (èr) 二 (èr) dua இரண்டு	三 (sān) 三 (sān) tiga மூன்று	四 (sì) 四 (sì) empat நான்கு	五 (wǔ) 五 (wǔ) lima ஐஞ்சு	六 (liù) 六 (liù) enam ஏஞ்சு	七 (qī) 七 (qī) tujuh ஏழு	八 (bā) 八 (bā) lapan எட்டு	九 (jiǔ) 九 (jiǔ) sembilan ஒன்பது	十 (shí) 十 (shí) sepuluh பக்து

PAIN	疼痛 (téngtòng) 疼痛 (téngtòng) kesakitan வளி	HOURS	小時 (xiǎoshí) 小時 (xiǎoshí) jam மணி
SYMPTOM	症狀 (zhèngzhuàng) 症狀 (zhèngzhuàng) gejala அறிகுறி	WEEKS	週 (zhōu) 週 (zhōu) minggu வாரம்
MEDICATION	藥物治療 (yàowù zhiliáo) 藥物治療 (yàowù zhiliáo) ubat மருங்கி	MONTHS	月 月 bulan மாதம்
DURATION	持續時間 (chíxù shíjiān) 持續時間 (chíxù shíjiān) tempoh கால	HUNDREDS	百 (bǎi) 百 (bǎi) ratus தொறு
MEASUREMENT	測量 (cèliáng) 測量 (cèliáng) pengukuran அளவீடு	THOUSANDS	千 (qiān) 千 (qiān) ribu ஆயிரம்
MINUTES	分鐘 (fēnzhōng) 分鐘 (fēnzhōng) minit நிமிடம்		

Chinese Simplified (ms)

Chinese Traditional (ct)

Malay (my)

Tamil (tm)