



GAYTHER
LGBTQ TOGETHER

www.gayther.com

Gayther is the trading name of Ovester Limited, a company registered in England and Wales under registration number 06250776, and our registered office is at 2 Ambleside Avenue, London, SW16 6AD, United Kingdom. Our principal place of business is at Ovester, Kemp House, 152-160 City Road, London, EC1V 2NX, United Kingdom.

GDI282021-05



MEDICAL DIAGNOSIS INTERPRETER

Point, mark, translate & communicate +



SOUTHERN EUROPE

Edition





GAYTHER
— LGBTQ TOGETHER —

In our hour of need, our words and how we communicate can be the difference between life and death. Quickly express how you are feeling to get the help and support you need.

Stay safe, protected and return home safely

Copyright © 2020-2021 Ovester Limited. All rights reserved.

Gayther is one of the trading names for Ovester Limited. Ovester Limited controls the copyright and other intellectual property rights concerning the Gayther Diagnosis Interpreter (GDI) and the Medical Diagnosis Interpreter (MDI) as it is also known. The MDI is provided to you free of charge in which you are permitted to download, store and print the MDI for your personal and business use. You are not permitted to reproduce or make a profit from selling the MDI or any other purpose except as permitted by the UK Copyright, Design and Patents Act 1988, without the prior permission of Ovester Limited.

All of the phrases and terms used in this document are literal translations and have not been validated or verified by a native speaker. All of the illustrations and terms have been designed to support and aid conversations, and any diagnosis carried out by a medical professional. The Medical Diagnosis Interpreter (MDI) is designed for illustrative purposes only and does not constitute advice. Though we have endeavoured to ensure that all of the information used is up-to-date, we do not provide any guarantees to the accuracy and completeness of any information contained within the MDI. By using the MDI you accept you are doing so at your own risk.

Conversion Table

MASS		VOLUME	
microgram (mcg) / miligram (mg) / gram (g)		teaspoon (tsp) / tablespoon (tbsp) / millilitre (ml) / litre (l)	
500mcg	0.5mg	1 tsp	6ml
600mcg	0.6mg	1 tbsp	3tsp or 15ml
700mcg	0.7mg	100ml	0.1l
800mcg	0.8mg	200ml	0.2l
900mcg	0.9mg	300ml	0.3l
1mg	0.001g	400ml	0.4l
500mg	0.5g	500ml	0.5l
600mg	0.6g	600ml	0.6l
700mg	0.7g	700ml	0.7l
800mg	0.8g	800ml	0.8l
900mg	0.9g	900ml	0.9l
1g	1g	1l	1l

TEMPERATURE			
celsius (°C) / fahrenheit (°F)			
38°C	100.4°F	41.5°C	106.7°F
38.5°C	101.3°F	42°C	107.6°F
39°C	102.2°F	42.5°C	108.5°F
39.5°C	103.1°F	43°C	109.4°F
40°C	104°F	43.5°C	110.3°F
40.5°C	104.9°F	44°C	111.2°F
41°C	105.8°F	44.5°C	112.1°F

3

THREE ELEMENTS OF INFORMATION THAT COULD SAVE YOUR LIFE

When in need of medical assistance, receiving treatment or in the event of an emergency, getting help is crucial. Communicating your current state of health, allergies or pre-existing medical conditions quickly to a medical professional can be a matter of life and death. This situation can be made worse when travelling and speaking to non-native English speakers. Medically trained individuals can provide you with the urgent care you need but who might be struggling to understand what is being explained to them. To help you in this situation, we created the Medical Diagnosis Interpreter (MDI).

The MDI is an innovative way in which you only need to point or mark how you are thinking and feeling, using the many illustrations and translated terms. The tool enables the medical professional to use what is being shown to them to help them diagnose any underlying problems. The MDI is grouped in logical sections. Some can be completed before seeking medical attention (sections A, B, C, D and H). The remaining sections can be used during an emergency (section E, F and G). All of the vital information needed to help the medical professional make an informed diagnosis. A diagnosis that will ultimately help in treating the condition, virus or illness.

A successful diagnosis typically requires three elements of crucial information:-

- Details of any pains, conditions or symptoms you have been experiencing, what hurts, where and for how long
- Any medications you have already taken and how long ago
- Any allergies, pre-existing conditions and important information about you to help with the diagnosis and treatment

φάρμακο που χρησιμοποιείται | medicina usata | lijek koji se koristi | medicamento usado | medicina usada

PAIN	SYMPOTM	MEDICATION	DURATION	MEASUREMENT	
MINUTES	HOURS	WEEKS	MONTHS	HUNDREDS	THOUSANDS

Any medications taken in the past 24 hours

<input type="checkbox"/>	PARACETAMOL	<input type="checkbox"/>	IBUPROFEN	<input type="checkbox"/>	CANNABIS
	παρακεταμόλη paracetamolo paracetamol paracetamol paracetamol		ιβουπροφαΐνη ibuprofene ibuprofen ibuprofeno ibuprofeno		κάνναβης (kánnavis) canapa konopija cannabis canabis

<input type="checkbox"/>	ANTIBIOTICS	<input type="checkbox"/>	ASPIRIN	<input type="checkbox"/>	OTHER
	αντιβιοτικά antibiotici antibiotici antibióticos antibióticos		ασπιρίνη (aspiríni) aspirina aspirin aspirina aspirina		

	(tsp) teaspoon		(tbsp) tablespoon		(ml) millilitre		(l) litre
	κουταλάκι του γλυκού (koutaláki tou glykou) cucchiaio čajna žličica colher de chá cucharilla		κουτάλι της σούπας (koutáli tis sóupas) cucchiaio žlica colher de sopa cucharada		χιλιοστόλιτρο (chiliostólito) millilitro millilitra mililitro mililitro		λίτρο (lítro) litro litra litro litro
	(mcg) microgram		(mg) milligram		(g) gram		(-) other
	μικρογραμμάριο microgrammo mikrogram microgramma micrograma		χιλιοστόγραμμο milligrammo miligram miligrana miligrama		γραμμάριο (grammário) grammo gram grama gramo		άλλα (álla) altro drugo de outros otro

F SYMPTOMS



σύμπτωμα (sýmptoma) | sintomo | simptom | sintoma | síntoma

1 ONE 2 TWO 3 THREE 4 FOUR 5 FIVE 6 SIX 7 SEVEN 8 EIGHT 9 NINE 10 TEN

TREMBLING / TINGLING

τρέμουλο / μυρμηγκιάσμα | tremante / formicolio | drhtanje / trzanje | tremor / formigamento | temblor / hormigueo

LOSS OF BALANCE

ασταθής / απώλεια ισορροπίας | instabile / perdita di equilibrio | nestabilnost / gubitak ravnoteže | instável / perda de equilíbrio | inestable / pérdida de equilibrio


VOMIT / NAUSEA

έμετος / ναυτία / vomito / nausea / povraćanje / mučnina / vômito / náusea / vómito / náuseas

WEAK / LACK OF ENERGY

αδύναμη / έλλειψη ενέργειας | debole / mancanza di energia | slab / nedostatak energije | fraco / falta de energia | débil / falta de energía

OTHER




HIGH TEMPERATURE

υψηλή θερμοκρασία | alta temperatura | visoka temperatura | temperatura alta | alta temperatura

ABOUT THE SOUTHERN EUROPE EDITION

The Southern Europe edition uses translated terms for five of the most common and spoken languages in that area or region. The information below outlines all of the featured languages and the countries in which they are spoken



FLAG	LANGUAGE	LANGUAGE SPOKEN IN
	Greek (gr)	Greece
	Italian (it)	Italy, San Marino, Vatican City
	Croatian (cr)	Bosnia and Herzegovina, Croatia
	Portuguese (pt)	Portugal
	Spanish (es)	Spain

F SYMPTOMS



σύμπτωμα (sýmptoma) | sintomo | simptom | sintoma | síntoma

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
-----------------	-----------------	-------------------	------------------	------------------	-----------------	-------------------	-------------------	------------------	------------------

I cannot...

δεν μπορώ | non posso | ne mogu | não posso | no puedo

	BREATH		SWALLOW		SMELL
	TASTE		SEE / VISION		HEAR
	FEEL		PASS URINE		PASS A BOWEL
	MOVE		WALK		TALK
	LIFT				
αναπνοή (anapnoí) respiro dah respiração aiento		καταπιεί (katapiéi) ingoiare gutlaj andorinha golondrina		μυρωδιά (myrodiá) odore miris cheiro oler	
γεύση (géfsi) gusto ukus gosto gusto		δείτε / όραμα vedere / visione vidi / vid ver / visão ver / visión		ακούω (akouó) sentire čuti ouvir oír	
αφή (afi) sentire osjetiti sentir sensación		ούρα urinare proći urin urinar orinar		περάστε ένα έντερο passare un intestino proći crijevo passar um intestino pasar un intestino	
κίνηση (kínisi) mossa potez mover movimiento		περπατήστε (perpatíste) camminare hodati andar caminar		μιλά ρε (mila re) parlare razgovor conversa hablar	
ανελκυστήρας (anelkystíras) sollevamento lift lift ascensor					

ALLERGIES

allergies | allergie | alergije | alergias | alergias

<input type="checkbox"/>	YES		ναι (nái) si da sim sí
<input type="checkbox"/>	NO		όχι (óchi) no ne não no

BLOOD GROUP

ομάδα αίματος | gruppo sanguigno | krvna grupa | grupo sanguíneo | grupo sanguíneo

	A+		A-		AB+		AB-
	A POSITIVE		A NEGATIVE		AB POSITIVE		AB NEGATIVE
	ενα θετικό un positivo a positivno um positivo un positivo		α αρνητικό a negativo a negativno a negative un negativo		αβ θετικό ab positivo ab pozitivno ab positivo ab positivo		αβ αρνητικό ab negativo ab negativno ab negativo ab negativo
	B+		B-		O+		O-
	B POSITIVE		B NEGATIVE		O POSITIVE		O NEGATIVE
	β θετικό b positivo b pozitivno b positivo b positivo		β αρνητικό b negativo b negativno b negativo b negativo		το θετικό o positivo o pozitivno o positive lo positivo		ο αρνητικό o negativo o negativno o negative o negativo
					UNKNOWN		
					άγνωστος (ágnostos) sconosciuto nepoznat desconhecido desconocido		


allergies | allergie | alergije | alergias | alergias

Please mark or tick (✓) -all of the allergies you have or have had in the past. Any allergies you may have can have a severe impact on any treatment or medication you receive.

	PENICILLIN	πενικιλίνη (penikillíni) penicillina penicilin penicilina penicilina
	ASPIRIN	ασπιρίνη (aspiríni) aspirina aspirin aspirina aspirina
	CHEMICAL	χημική ουσία (chimikí ousía) chimico kemijski químico químico
	POLLEN	γύρη (gýri) polline pelud pólen polen
	DUST	σκόνη (skóni) polvere prah poeira polvo
	MOULD	μούχλα (móuchla) muffa kalup mofo molde
	ANIMALS	ζώο (zóo) animale životinja animal animal
	FISH	ψάρι (psári) pesce riba peixe pescado
	DAIRY	γαλακτοκομείο (galaktokomeío) latteria mljekara laticínios lechería
	NUTS	ξηροί καρποί (xiroí karpoi) nocciole orašasto voće nozes nueces
	BITE	δάγκωμα (dánkoma) morso gristi mordida mordedura
	STING	τσίμπημα (tsímpima) puntura ubost picadura picadura
	OTHER	


πίσω (piso) | indietro | nazad | costas | espalda

PAIN	SYMPOTM	MEDICATION	DURATION	MEASUREMENT
MINUTES	HOURS	WEEKS	MONTHS	



τόνος (pónos) | dolore | bol | dor | dolor

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
----------	----------	------------	-----------	-----------	----------	------------	------------	-----------	-----------



προϋπάρχω (proüpárcho) | preexistono | postojali | preexistir | preexistir
Please mark or tick (✓) all of the pre-existing medical conditions you have or may have had in the past. If applicable, please circle (○) the relevant type or stage

<input type="checkbox"/> CANCER 1 2 3 4 καρκίνος (karkínos) cancer rak câncer cáncer	<input type="checkbox"/> DIABETES 1 2 διαβήτης (diavítis) diabete dijabetes diabetes diabetes	<input type="checkbox"/> LEUKAEMIA 1 2 3 4 λευχαιμία (lefchaimía) leucemia leukemia leucemia leucemia
<input type="checkbox"/> PREGNANCY 0-3 4-6 7-9 εγκυμοσύνη gravidanza trudnoća gravidez el embarazo	<input type="checkbox"/> ASTHMATIC ASTHMA COPD ασθματικός (asthmatiskós) asmático astmatičar asmático asmático	<input type="checkbox"/> LUPUS SLE CLE DLE λύκος lupus lupus lúpus lupus
<input type="checkbox"/> HIV / AIDS hiv / aids hiv / aids hiv / aids vih / sida	<input type="checkbox"/> EPILEPSY επιληψία (epilepsia) epilessia epilepsija epilepsia epilepsia	<input type="checkbox"/> MENTAL HEALTH ψυχική υγεία (psychikí ygeía) salute mentale mentalno zdravlje saúde mental salud mental
<input type="checkbox"/> HEART DISEASE καρδιακή ασθένεια malattia del cuore srčana bolest doença cardíaca enfermedad del corazón	<input type="checkbox"/> HIGH CHOLESTEROL υψηλή χοληστερόλη colesterol alto visok kolesterol colesterol alto colesterol alto	<input type="checkbox"/> HIGH BLOOD PRESSURE πίεση αίματος (píesi aímatos) pressione sanguigna krvni tlak pressão sanguínea presión sanguínea
<input type="checkbox"/> OTHER		

D MEDICATION

φαρμακευτική αγωγή (farmakeftikí agogí) | medicazione | liječenje | medicação | medicación

Please list all of the medications that you frequently take concerning your allergies or pre-existing conditions. Medical professionals must be made aware of any medications that you may take as it will affect decisions relating to any medication prescribed when you seek treatment

	MEDICATION	FREQUENCY	MEASUREMENT
	φαρμακευτική αγωγή (farmakeftikí agogí) medicazione liječenje medicação medicación	συχνότητα (synchnótita) frequenza frekvencija freqüência frecuencia	μέτρηση (métresi) misurazione mjereno medição medición
1		HOURLY DAILY	TSP TBSP MCG MG G ML L
2		HOURLY DAILY	TSP TBSP MCG MG G ML L
3		HOURLY DAILY	TSP TBSP MCG MG G ML L
4		HOURLY DAILY	TSP TBSP MCG MG G ML L
5		HOURLY DAILY	TSP TBSP MCG MG G ML L
6		HOURLY DAILY	TSP TBSP MCG MG G ML L

hourly | ωριάς | ogni ora | na sat | de hora em hora | cada hora
daily | καθημερινά | quotidiano | dnevno | diariamente | diario


tsp | κουταλάκι του γλυκού | cucchiaino | čajna žličica | colher de chá | cucharilla
tbsp | κουτάλι της σούπας | cucchiaio | Žlica | colher de sopa | cucharada
mcg | μικρογραμμάριο | microgrammo | mikrogram | micrograma | micrograma
mg | χιλιοστόγραμμο | milligrammo | miligram | miligrama | miligrano
g | γραμμάριο | grammo | gram | grama | gramo
ml | χιλιοστόλιτρο | millilitro | mililitra | mililitro | mililitro
l | λίτρο | litro | litra | litro | litro





FRONT

εμπρός (emprós) | davanti | ispred | frente | frente

PAIN	SYMPTOM	MEDICATION	DURATION	MEASUREMENT
MINUTES	HOURS	WEEKS	MONTHS	



πόνος (pónos) | dolore | bol | dor | dolor



κατά τη διάρκεια έκτακτης ανάγκης | durante un'emergenza | tijekom nužde | durante uma emergência | durante una emergencia

The following sections have been designed to help you communicate any pains, symptoms you are experiencing or any medication you have taken when speaking to a medical professional. You can either point or mark the relevant boxes, describing your symptoms quickly and easily using the Medical Diagnosis Interpreter (MDI).

HOW TO COMMUNICATE

Communicating in a four-step process, let us start by going to section E or the areas of pain to begin

Step 1 - Please go to the numbers bar at the top of section E, where you can either point or tick (✓) the number of pains you are experiencing. One for a single area of pain, two for the second pain and so on



Step 2 – When ready to describe your first or only pain, you can either point or tick the region of the body (front or back) or specific body parts where the pain is located. When you have finished highlighting all of the areas, you can either point to the stop or next marker if you have more than one pain. Both markers can be found at the top right-hand side of the page



Step 3 – Next, you will need to indicate how long you have been experiencing the pain. You do this by selecting the duration marker, followed by the minutes, hours or days markers (for example, 10 + minutes). If you are trying to describe multiples, such as 30 minutes, you could point to the ten marker three times (e.g., 10 plus 10 plus 10), followed by the minute marker



Step 4 – Finally, we will highlight the pain level on a scale from 1 to 10. If you are suffering multiple pains, go back to the beginning of section E, select two from the number scale to describe the subsequent pain and so on.



You will follow a similar process for symptoms (section F) and any drugs/medication taken (section G). In the medication taken section, you will also be required to use the numbering system to describe measurements, such as 1 + 2 + thousand + mg, which would represent one 2000mg tablet)

Important: During an emergency, you must convey areas of pain, symptoms and any drugs or medication you have taken quickly and efficiently. If a pain, symptom or drug/medication is not listed, write it within the relevant 'other' box, remembering to use BLOCK CAPITAL letters. Providing any information that is not listed helps the medical professional to look it up and translate the terms quickly to form a diagnosis

1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	10 TEN
ένας (énas)	δύο (dýo)	τρία (tría)	τέσσερα (téssera)	πέντε (pénte)	έξι (éxi)	επτά (eptá)	οκτώ (októ)	εννέα (ennéa)	δέκα (déka)
uno	due	tri	quattro	cinque	šest	sette	otto	nove	deset
jedan	dva	três	četiri	pet	seis	sedam	osam	devet	deset
1	dos	tres	quattro	cinco	seis	sete	oito	nove	dez
uno	dos		cuatro	cinco					diez

PAIN	πόνος (pónos) dolore bol dor dolor	HOURS	ώρα (óra) ora sat hora hora
SYMPOTM	σύμπτωμα (sýmptoma) sintomo simptom síntoma síntoma	WEEKS	εβδομάδα (evdomáda) settimana tjedan semana semana
MEDICATION	φαρμακευτική αγωγή (farmakeftikí agogí) medicazione lijecenje medicação medicación	MONTHS	μήνας mese mjesec mês mes
DURATION	διάρκεια (diárkeia) durata trajanje duração duración	HUNDREDS	εκατό (ekató) centinaio stotina cem cien
MEASUREMENT	μέτρηση (métrisi) misurazione mjerenje medição medición	THOUSANDS	χίλια (chília) mille tisuću mil mil
MINUTES	λεπτό (leptó) minuto minuta minuto minuto		

Greek (gr)
 Italian (it)
 Croatian (cr)
 Portuguese (pt)
 Spanish (es)